## SUBJECT INDEX

## CALPHAD: Computer Coupling of Phase Diagrams and Thermochemistry

## **VOLUME 15, 1991**

C. Bernard
Laboratoire de Thermodynamique
et Physico-Chimie Metallurgiques
ENSEEG, Domaine Universitaire B.P.75,
38402 St. Martin d'Heres, FRANCE

```
0381
         PARAMETERIZATION OF THE SOLUTION DATA FOR BINARY ALLOYS BY HULTGREN ET AL.
WILLIAMS R.O./
CALPHAD, 1991, 15, (1), 1-10.
   0382
          A THERMODYNAMIC ASSESSMENT OF THE V-N SYSTEM
          OHTANI H./HILLERT M./
CALPHAD, 1991, 15, (1), 11-24.
          A THERMODYNAMIC ASSESSMENT OF THE FE-N-V SYSTEM OHTANI H./HILLERT M./CALPHAD, 1991, 15, (1), 25-39.
         A THERMODYNAMIC ASSESSMENT OF THE FE-N-TI SYSTEM
OHTANI H./HILLERT M./
CALPHAD, 1991, 15, (1), 41-52.
    0385
          A REEVALUATION OF THE RANKINITE PHASE IN THE CAO-SIO2 SYSTEM HILLERT M./SUNDMAN B./WANG X./BARRY T./
CALPHAD, 1991, 15, (1), 53-58.
    0386
          OPTIMIZATION AND CALCULATION OF THE ZRO2-MGO SYSTEM
          DU Y./JIN Z./
CALPHAD, 1991, 15, (1), 59-68.
          IMPROVEMENT OF EXCESS PARAMETERS FROM THERMODYNAMIC AND PHASE DIAGRAM DATA BY A SEQUENTIAL
          BAYES ALGORITHM
             KONIGSBERGER E./
          CALPHAD, 1991, 15, (1), 69-78.
          A THERMODYNAMIC EVALUATION OF THE CR-N, FE-N, MO-N AND CR-MO-N SYSTEMS
          FRISK K./
CALPHAD, 1991, 15, (1), 79-106.
    0389
          MODIFICATION OF THE TWO-SUBLATTICE MODEL FOR LIQUIDS SUNDMAN B./
CALPHAD, 1991, 15, (2), 109-119.
    0390
           THE ENTITY MODEL OF METALLIC SOLUTIONS
           RANGANATHAN S./
CALPHAD, 1991, 15, (2), 121-130.
    0391
           ESTIMATION OF STABILITY FROM PHASE DIAGRAM
           CHOU K.-C./
CALPHAD, 1991, 15, (2), 131-142.
           CALCULATION OF GAMMA PRIME/GAMMA EQUILIBRIUM PHASE COMPOSITIONS IN NICKEL-BASE SUPERALLOYS BY CLUSTER VARIATION METHOD ENOMOTO M./HARADA H./YAMAZAKI M./
           CALPHAD, 1991, 15, (2), 143-158.
```

```
0393
        LATTICE AND POLYNOMIAL MODELS FOR DEFECT SPINELS THE MGO- ALO1.5 SYSTEM
       HOWALD R.A./ROY B.N./
CALPHAD, 1991, 15, (2), 159-172.
        OPTIMIZATION OF TI-AL-V BETA PHASE FOR DISPERSED PHASE TRANSFORMATION TOUGHENING OF GAMMA
         TITANIUM ALUMINIDES
           GRUJICIC M./NARAYAN C.P./
        CALPHAD, 1991, 15, (2), 173-178.
        DESIGN OF M2C CARBIDES FOR COARSENING RESISTANCE
           GRUJICIC M./
CALPHAD, 1991, 15, (2), 179-184.
   0396
         THERMODYNAMIC CALCULATION OF ATMOSPHERIC PRESSURE AND HIGH PRESSURE (P = 2500 ATM) PHASE
         DIAGRAM OF LIIO3- NAIO3 BINARY SYSTEM

CHEN X./LIANG J./CHEN Z./QIAO Z./XIE S./RAO G./SHEN Z./
         CALPHAD, 1991, 15, (2), 185-194.
   0397
         A THERMODYNAMIC ANALYSIS OF THE MN-V AND FE-MN-V SYSTEMS
         HUANG W./
CALPHAD, 1991, 15, (2), 195-208.
   0398
         SUMMARY OF THE PROCEEDINGS OF THE TWENTIETH CALPHAD MEETING 3-8 FEBRUARY 1991 JAMSHEDPUR,
         INDIA
ANTIA D.P./MUKHERJEE T./RAGHAVAN V./
CALPHAD, 1991, 15, (3), 211-224.
   0399
         BINARY P-DIHALOBENZENE SYSTEMS-CORRELATION OF THERMOCHEMICAL AND PHASE DIAGRAM DATA
         CALVET M.T./CUEVAS-DIARTE M.A./HAGET Y./VAN DER LINDE P.R./OONK H.A.J./CALPHAD, 1991, 15, (3), 225-234.
   0400
         THE SYSTEM THIANAPHTHENE + NAPHTHALENE SOLID-LIQUID EQUILIBRIUM A CASE OF CROSSED
         ISODIMORPHISM
         KLIPP N./VAN DER LINDE P.R./OONK H.A.J./
CALPHAD, 1991, 15, (3), 235-242.
   0401
         COUPLED THERMOCHEMICAL AND PHASE DIAGRAM DATA FOR TANTALUM BASED BINARY ALLOYS
         KAUFMAN L./
CALPHAD, 1991, 15, (3), 243-259.
         CALCULATION OF MULTICOMPONENT TANTALUM BASED PHASE DIAGRAMS
             KAUFMAN L.
          CALPHAD, 1991, 15, (3), 261-282.
         A THERMODYNAMIC STUDY ON THE V-C AND FE-V SYSTEMS LEE B.-J./LEE D.N./CALPHAD, 1991, 15, (3), 283-291.
         A THERMODYNAMIC STUDY ON THE FE-V-C SYSTEM LEE B.-J./LEE D.N./
CALPHAD, 1991, 15, (3), 293-306.
         A THERMODYNAMIC REASSESSMENT OF THE FE-V SYSTEM
         KUMAR K.C.H./RAGHAVAN V./
CALPHAD, 1991, 15, (3), 307-314.
    0406
         SGTE DATA FOR PURE ELEMENTS
            DINSDALE A.T./
          CALPHAD, 1991, 15, (4), 317-426.
```

| O398 .TA BASED SYSTEM, TA- NI- MD, TA- NB- O398 , NI- AL- TI, NI- AL- CO, NI- AL- MO, O398ORDERING TERNARY ALLOYS FE- O398 L- NI, CO, TA- AL-CO, NI- AL- TI, NI- O398 A- NB- CU, TA- CU- NI, TA- W- NB, TA- O398 , FE- H- X SYSTEMS (X = NB, TI OR V), O398 A- AL-CO, NI- AL- TI, NI- AL- CO, NI- O398 A- CU- NI, TA- W- NB, TA- AL- FE, TA- O398 .( TI, NB, V)C AND ( TI, NB, V)N, GA- O398 )C AND ( TI, NB, V)N, GA- AL- SB, IN- O398 L- FE, TA- AL- NI, CO, TA- AL-CO, NI- O394 | AL, TA- NB- CU, TA- CU- NI, TA- W- NB, TA- AL- FE, 0398 AL- C- FE, CDMMON-ION ALKALI HALIDE SYSTEMS, TA- R 0398 AL- CO, FE-AL-GE, FE-AL-V, FE-SI-CO, FE- SI- GE, F 0398 AL- CO, NI- AL- MO, AL- C- FE, COMMON-ION ALKALI H 0398 AL- FE, TA- AL- NI, CO, TA- AL-CO, NI- AL- TI, NI- 0398 AL- GE- MN, VF3, UN, PUN, VPUN,                                   |
|--|---|
| 0387 SEQUENTIAL BAYES  | ALGORITHM, 0387   |
| 0398 CO, NI- AL- MO, AL- C- FE, COMMON-ION   | ALKALI HALIDE SYSTEMS, TA- RARE EARTH BINARY SYSTE 0398   |
| 0393MGD-   | AL01.5,   |
| 0396   | ATMOSPHERIC AND HIGH PRESSURE LIIO3- NAIO3 DIAGRAM 0396   |
| 0387 SEQUENTIAL  | BAYES ALGORITHM,  |
| 0394TI- AL- V  | BETA PHASE, 0394  |
| 0404   | C   |
| 0398 NARY SYSTEMS, PSEUDOSTABLE PHASE, FE-   | CA- D, FE- SI- D, ULTRACAL PROGRAMME, YBA2CU3DZ, M 0398   |
| 0385 RANKINITE,  | CAO- SIO2, 0385   |
| 0395 .MODEL FOR COARSENING KINETICS OF M2C   | CARBIDES,   |
| O398ORDERING TERNARY ALLOYS FE- AL-<br>O398 I, CO, TA- AL-CO, NI- AL- TI, NI- AL-<br>O398 I, TA- W- NB, TA- AL- FE, TA- AL- NI,<br>O398 -CO, FE- SI- GE, FE- SI- V, W- FE, W-  | CO, FE-AL-GE, FE-AL-V, FE-SI-CO, FE- SI- GE, FE- S 0398 CO, NI- AL- MO, AL- C- FE, COMMON-ION ALKALI HALID 0398 CO, TA- AL-CO, NI- AL- TI, NI- AL- CO, NI- AL- MO, 0398 CO, W- NI, MULTICOMPONENT TA BASED SYSTEM, TA- NI- 0398   |
| 0395 MODEL FOR   | COARSENING KINETICS OF M2C CARBIDES,  |
| 0398 I, NI- AL- CO, NI- AL- MO, AL- C- FE,   | COMMON-ION ALKALI HALIDE SYSTEMS, TA- RARE EARTH B 0398   |
| 0399   | CORRELATION OF THERMOCHEMICAL AND PHASE DIAGRAM DA 0399   |
| O388 CR- N, FE- N, MO- N, O388 O398 .NI- V, TI- V, FE- V, U- PU- C- N- D,  | CR- MD- N,  |
| O391STABILITY  | CRITERION FROM PHASE DIAGRAM,   |
| 0400   | CROSSED ISODIMORPHISM,  |
| 0398 STEM, TA- NI- MO, TA- NB- AL, TA- NB-<br>0398 - NI- MO, TA- NB- AL, TA- NB- CU, TA-   | CU. TA- CU- NI, TA- W- NB, TA- AL- FE, TA- AL- NI, 0398<br>CU- NI, TA- W- NB, TA- AL- FE, TA- AL- NI, CO, TA- 0398  |
| 0392GAMMA- GAMMA PRIME EQUILIBRIUM BY  | CVM FOR NI-BASE SUPERALLOYS,  |
| 0398 N-ION ALKALI HALIDE SYSTEMS, TA- RARE   | EARTH BINARY SYSTEMS, PSEUDOSTABLE PHASE, FE- CA 0398   |
| 0390   | ENTITY MODEL,   |
| O398 L- TI, NI- AL- CO, NI- AL- MO, AL- C- O398 B- CU, TA- CU- NI, TA- W- NB, TA- AL- O398 , FE-SI-CO, FE- SI- GE, FE- SI- V, W- O398ORDERING TERNARY ALLOYS O398 H BINARY SYSTEMS, PSEUDOSTABLE PHASE, O398 .V, FE- V, U- PU- C- N- O, CR- NI- V, O397MN- V, O388CR- N, O384  | FE, COMMON-ION ALKALI HALIDE SYSTEMS, TA- RARE EAR 0398 FE, TA- AL- NI, CO, TA- AL-CO, NI- AL- TI, NI- AL- 0398 FE, W- CO, W- NI, MULTICOMPONENT TA BASED SYSTEM, 0398 FE- AL- CO, FE-AL-GE, FE-AL-V, FE-SI-CO, FE- SI- G 0398 FE- CA- D, FE- SI- D, ULTRACAL PROGRAMME, YBA2CU3D 0398 FE- H- X SYSTEMS (X = NB, TI DR V), AL- GE- MN, VF 0398 FE- MN- V, |

| 0405<br>0403<br>0398<br>0404<br>0398<br>0398 | AL-GE, FE-AL-V, FE-SI-CO, FE- SI- GE,   | FE- SI- V, W- FE, W- CO, W- NI, MULTICOMPONENT TA. ( FE- V   | 0405<br>0403<br>0398<br>0404<br>0398         |
|--|---|--|--|
|  | UNDS ( TI, NB, V)C AND ( TI, NB, V)N,   | GA- AL- SB, IN- AL- SB, MO- V, NI- V, TI- V, FE- V   |  |
|  |   | GAMMA PRIME EQUILIBRIUM BY CVM FOR NI-BASE SUPERAL GAMMA- GAMMA PRIME EQUILIBRIUM BY CVM FOR NI-BASE.  |  |
|  | .FE-AL-GE, FE-AL-V, FE-SI-CO, FE- SI-<br>- H- X SYSTEMS (X = NB, TI OR V), AL-  | GE, FE- SI- V, W- FE, W- CO, W- NI, MULTICOMPONENT GE- MN, VF3, UN, PUN, VPUN,   |  |
| 0398   | FE- V, U- PU- C- N- O, CR- NI- V, FE-   | H- X SYSTEMS (X = NB, TI OR V), AL- GE- MN, VF3, U   | 0398   |
| 0398   | .AL- MO, AL- C- FE, COMMON-ION ALKALI   | HALIDE SYSTEMS, TA- RARE EARTH BINARY SYSTEMS, PSE   | 0398   |
| 0381   | PARAMETERIZATION FOR  | HULTGREN SOLUTION DATA   | 0381   |
| 0398   | E, YBA2CU3OZ, MISCIBILITY GAPS IN THE   | II-VI ALLOY SEMI-CONDUCTOR SYSTEMS, QUATERNARY COM   | 0398   |
| 0398<br>0398                                 | ROGRAMME, YBA2CU3OZ, MISCIBILITY GAPS B, V)C AND ( TI, NB, V)N, GA- AL- SB,   | IN THE II-VI ALLOY SEMI-CONDUCTOR SYSTEMS, QUATERN IN- AL- SB, MO- V, NI- V, TI- V, FE- V, U- PU- C  |  |
| 0400   | CROSSED   | ISODIMORPHISM,   | 0400   |
| 0395   |   | KINETICS OF M2C CARBIDES,  | 0395   |
| 0396   | ATMOSPHERIC AND HIGH PRESSURE   | LIIO3- NAIO3 DIAGRAM,  | 0396   |
| 0395   | MODEL FOR COARSENING KINETICS OF  | M2C CARBIDES,  | 0395   |
|  | ZR02-   | MGO,   |  |
| 0398   | SI- O, ULTRACAL PROGRAMME, YBA2CU3OZ,   | MISCIBILITY GAPS IN THE II-VI ALLOY SEMI-CONDUCTOR   | 0398   |
| 0397   | .X SYSTEMS (X = NB, TI OR V), AL- GE-<br>MN- V, FE-   | MN, VF3, UN, PUN, VPUN,<br>MN- V,<br>MN- V, FE- MN- V,   | 0397   |
| 0398<br>0388<br>0388                         | L-CO, NI- AL- TI, NI- AL- CO, NI- AL-<br>LTICOMPONENT TA BASED SYSTEM, TA- NI-<br>CR- N, FE- N, MO- N, CR-<br>CR- N, FE- N, | MO, AL- C- FE, COMMON-ION ALKALI HALIDE SYSTEMS, T MO, TA- NB- AL, TA- NB- CU, TA- CU- NI, TA- W- NB, MO- N,   | 0398<br>0388<br>0388                         |
| 0389   | TWO-SUBLATTICE  | MODEL FOR COARSENING KINETICS OF M2C CARBIDES, MODEL FOR LIQUIDS,  | 0389   |
| 0388<br>0388<br>0388<br>0398<br>0398         | V- CR- N, FE- N, MO- N, CR- MO- CR- N, FE- N, MO- CR- N, FE- N, FE- CR- N, FE- CR- N, FE- CR- N, FE- CR- N, FE- FE- FE-   | N, N, CR- MO- N, N, FE- N, MO- N, CR- MO- N, N, MO- N, CR- MO- N, N- O, CR- NI- V, FE- H- X SYSTEMS (X = NB, TI OR V N- TI N- V,   | 0388<br>0388<br>0388<br>0388<br>0398<br>0384 |
| 0396   | ATMOSPHERIC AND HIGH PRESSURE LIIO3-  | NAIO3 DIAGRAM,   | 0396   |
| 0398<br>0398<br>0398                         | B B- AL, TA- NB- CU, TA- CU- NI, TA- W- B - O, CR- NI- V, FE- H- X SYSTEMS (X = B R SYSTEMS, QUATERNARY COMPOUNDS ( TI, B ARY COMPOUNDS ( TI, NB, V)C AND ( TI, B NENT TA BASED SYSTEM, TA- NI- MO, TA- B D SYSTEM, TA- NI- MO, TA- NB- AL, TA-   | NB, TA- AL- FE, TA- AL- NI, CO, TA- AL-CO, NI- AL- NB, TI OR V), AL- GE- MN, VF3, UN, PUN, VPUN, NB, V)C AND ( TI, NB, V)N, GA- AL- SB, IN- AL- SB, NB, V)N, GA- AL- SB, IN- AL- SB, MO- V, NI- V, TI- NB- AL, TA- NB- CU, TA- CU- NI, TA- W- NB, TA- AL- NB- CU, TA- CU- NI, TA- W- NB, TA- AL- FE, TA- AL- | 0398<br>0398<br>0398                         |
| 039  | B U- NI, TA- W- NB, TA- AL- FE, TA- AL-<br>B - SI- GE, FE- SI- V, W- FE, W- CO, W-<br>B - MO, TA- NB- AL, TA- NB- CU, TA- CU-<br>B A- AL- NI, CO, TA- AL-CO, NI- AL- TI,  | NI, CO, TA- AL-CO, NI- AL- TI, NI- AL- CO, NI- AL- NI, MULTICOMPONENT TA BASED SYSTEM, TA- NI- MO, TA NI, TA- W- NB, TA- AL- FE, TA- AL- NI, CO, TA- AL- NI- AL- CO, NI- AL- MO, AL- C- FE, COMMON-ION ALKA  | 0398   |

| 0398<br>0398<br>0398<br>0398                                 | O, TA- AL-CO, NI- AL- TI, NI- AL- CO, A- AL- FE, TA- AL- NI, CO, TA- AL-CO, MULTICOMPONENT TA BASED SYSTEM, TAV, TI- V, FE- V, U- PU- C- N- O, CR-, V)N, GA- AL- SB, IN- AL- SB, MO- V, A- GAMMA PRIME EQUILIBRIUM BY CVM FOR   | NI- AL- MO, AL- C- FE, COMMON-ION ALKALI HALIDE SY NI- AL- TI, NI- AL- CO, NI- AL- MO, AL- C- FE, COM NI- MO, TA- NB- AL, TA- NB- CU, TA- CU- NI, TA- W- NI- V, FE- H- X SYSTEMS (X = NB, TI OR V), AL- GE- NI- V, TI- V, FE- V, U- PU- C- N- O, CR- NI- V, FE NI-BASE SUPERALLOYS, | 0398<br>0398<br>0398<br>0398   |
|--|---|---|--|
| 0398   | .V, NI- V, TI- V, FE- V, U- PU- C- N-<br>.SYSTEMS, PSEUDOSTABLE PHASE, FE- CA-<br>SEUDOSTABLE PHASE, FE- CA- O, FE- SI-   | O, CR- NI- V, FE- H- X SYSTEMS (X = NB, TI OR V),. O, FE- SI- O, ULTRACAL PROGRAMME, YBA2CU3OZ, MISCI O, ULTRACAL PROGRAMME, YBA2CU3OZ, MISCIBILITY GAPS  | 0398   |
| 0398   | - NI- V, FE- H- X SYSTEMS (X = NB, TI   | OR V), AL- GE- MN, VF3, UN, PUN, VPUN,  | 0398   |
| 0398   |   | ORDERING TERNARY ALLOYS FE- AL- CO, FE-AL-GE, FE-A  | 0398   |
| 0381   |   | PARAMETERIZATION FOR HULTGREN SOLUTION DATA,  | 0381   |
| 0396   | ATMOSPHERIC AND HIGH  | PRESSURE LIID3- NAID3 DIAGRAM,  | 0396   |
| 0392   | GAMMA- GAMMA  | PRIME EQUILIBRIUM BY CVM FOR NI-BASE SUPERALLOYS,.  | 0392   |
| 0398   | PHASE, FE- CA- O, FE- SI- O, ULTRACAL   | PROGRAMME, YBA2CU3OZ, MISCIBILITY GAPS IN THE II-V  | 0398   |
| 0398   | STEMS, TA- RARE EARTH BINARY SYSTEMS,   | PSEUDOSTABLE PHASE, FE- CA- 0, FE- SI- 0, ULTRACAL  | 0398   |
| 0398   | L- SB, MO- V, NI- V, TI- V, FE- V, U-   | PU- C- N- 0, CR- NI- V, FE- H- X SYSTEMS (X = NB,.  | 0398   |
| 0398   | .= NB, TI OR V), AL- GE- MN, VF3, UN,   | PUN, VPUN,  | 0398   |
| 0406   | SGTE DATA FOR   | PURE ELEMENTS   | 0406   |
| 0398   | E II-VI ALLOY SEMI-CONDUCTOR SYSTEMS,   | QUATERNARY COMPOUNDS ( TI, NB, V)C AND ( TI, NB, V  | 0398   |
| 0385   |   | RANKINITE, CAO- SIO2,   | 0385   |
| 0398   | COMMON-ION ALKALI HALIDE SYSTEMS, TA-   | RARE EARTH BINARY SYSTEMS, PSEUDOSTABLE PHASE, FE-  | 0398   |
|  | S I, NB, V)C AND ( TI, NB, V)N, GA- AL-<br>S ND ( TI, NB, V)N, GA- AL- SB, IN- AL-  | SB, IN- AL- SB, MO- V, NI- V, TI- V, FE- V, U- PU- SB, MO- V, NI- V, TI- V, FE- V, U- PU- C- N- O, CR   |  |
| 0398   | , MISCIBILITY GAPS IN THE II-VI ALLOY   | SEMI-CONDUCTOR SYSTEMS, QUATERNARY COMPOUNDS ( TI,  | 0398   |
| 0387   |   | SEQUENTIAL BAYES ALGORITHM,   | 0387   |
| 0406   |   | SGTE DATA FOR PURE ELEMENTS   | 0406   |
| 0398   | B .CO, FE-AL-GE, FE-AL-V, FE-SI-CO, FE-<br>B S, PSEUDOSTABLE PHASE, FE- CA- O, FE-<br>B E, FE-AL-V, FE-SI-CO, FE- SI- GE, FE-   | SI- GE, FE- SI- V, W- FE, W- CD, W- NI, MULTICOMPO<br>SI- D, ULTRACAL PROGRAMME, YBA2CU3OZ, MISCIBILITY.<br>SI- V, W- FE, W- CO, W- NI, MULTICOMPONENT TA BASE  | 0398   |
| 0385   | 5 RANKINITE, CAD-   | S102,   | 0385   |
| 039  | 2 .PRIME EQUILIBRIUM BY CVM FOR NI-BASE   | SUPERALLOYS,*   | 0392   |
| 0402<br>0398<br>0398<br>0398<br>0398<br>0398<br>0398<br>0398 | MULTICOMPONENT  B, W- FE, W- CO, W- NI, MULTICOMPONENT  B L, TA- NB- CU, TA- CU- NI, TA- W- NB,  B U, TA- CU- NI, TA- W- NB, TA- AL- FE,  B A- W- NB, TA- AL- FE, TA- AL- NI, CO,  B, TA- NI- MO, TA- NB- AL, TA- NB- CU,  B OMPONENT TA BASED SYSTEM, TA- NI- MO,  B BASED SYSTEM, TA- NI- MO, TA- NB- AL,  B - NI, MULTICOMPONENT TA BASED SYSTEM,  B FE, COMMON-ION ALKALI HALIDE SYSTEMS,  B, TA- NB- AL, TA- NB- CU, TA- CU- NI, | TA BASED BINARY ALLOYS  | . 0402<br>0398<br>0398<br>0398<br>0398<br>0398<br>0398<br>0398<br>0398 |
| 038<br>039<br>039<br>039<br>039                              | 8 .CR- NI- V, FE- H- X SYSTEMS (X = NB, 4FE- N- 8 UCTOR SYSTEMS, QUATERNARY COMPOUNDS ( 8 TERNARY COMPOUNDS (TI, NB, V)C AND ( 8 E, TA- AL- NI, CO, TA- AL-CO, NI- AL- 4  | TI OR V), AL- GE- MN, VF3, UN, PUN, VPUN,   | . 0384<br>- 0398<br>, 0398<br>. 0398<br>. 0394<br>. 0398               |
|  |   |   |  |

| 0398 | - AL- SB, MO- V, NI- V, TI- V, FE- V,            | U- PU- C- N- D, CR- NI- V, FE- H- X SYSTEMS (X = N  | 0398 |
|------|--|---|------|
| 0398 | DOSTABLE PHASE, FE- CA- 0, FE- SI- 0,            | ULTRACAL PROGRAMME, YBA2CU3OZ, MISCIBILITY GAPS IN  | 0398 |
| 0398 | S (X = NB, TI OR V), AL- GE- MN, VF3,            | UN, PUN, VPUN,                                      | 0398 |
|      | FE-  | V   |      |
|      | TI- AL-<br>I- V. FE- H- X SYSTEMS (X = NB. TI OR | V BETA PHASE,<br>V). AL- GE- MN. VF3. UN. PUN. VPUN | 0394 |
|      | STEMS, QUATERNARY COMPOUNDS ( TI, NB,            | V)C AND ( TI, NB, V)N, GA- AL- SB, IN- AL- SB, MO-  |      |
|      | COMPOUNDS ( TI, NB, V)C AND ( TI, NB,            | V)N, GA- AL- SB, IN- AL- SB, MO- V, NI- V, TI- V, . |      |
|      |  | V,  | 0383 |
|      | MN- V, FE- MN-                                   | V,  |      |
|      | V- C, FE-  | V,  | 0403 |
|      | TI- V, FE- V, U- PU- C- N- D, CR- NI-            | V, FE- H- X SYSTEMS (X = NB, TI OR V), AL- GE- MN,  | 0398 |
|      | AL- SB, IN- AL- SB, MO- V, NI- V, TI-            | V, FE- MN- V,                                       | 0397 |
|      | .NB. V)N. GA- AL- SB. IN- AL- SB. MO-            | V. NI- V. TI- V. FE- V. U- PU- C- N- D. CR- NI- V.  |      |
|      | N. GA- AL- SB. IN- AL- SB. MO- V. NI-            | V, TI- V, FE- V, U- PU- C- N- D, CR- NI- V, FE- H-  |      |
|      | .IN- AL- SB, MO- V, NI- V, TI- V, FE-            | V, U- PU- C- N- O, CR- NI- V, FE- H- X SYSTEMS (X.  |      |
| 0398 | E-AL-V, FE-SI-CO, FE- SI- GE, FE- SI-            | V, W- FE, W- CO, W- NI, MULTICOMPONENT TA BASED SY  | 0398 |
|      |  | V- C  |      |
| -    |  | V- C, FE- V,  |      |
| 0382 |  | V- N,   |      |
| 0398 | YSTEMS (X = NB, TI OR V), AL- GE- MN,            | VF3, UN, PUN, VPUN,                                 | 0398 |
| 0398 | , TI OR V), AL- GE- MN, VF3, UN, PUN,            | VPUN,   | 0398 |
| 0398 | -SI-CO, FE- SI- GE, FE- SI- V, W- FE,            | W- CO, W- NI, MULTICOMPONENT TA BASED SYSTEM, TA    | 0398 |
|      | L-V, FE-SI-CO, FE- SI- GE, FE- SI- V,            | W- FE, W- CO, W- NI, MULTICOMPONENT TA BASED SYSTE  |      |
|      | - NB- AL, TA- NB- CU, TA- CU- NI, TA-            | W- NB, TA- AL- FE, TA- AL- NI, CO, TA- AL-CO, NI    |      |
| 0398 | .FE- SI- GE, FE- SI- V, W- FE, W- CO,            | W- NI, MULTICOMPONENT TA BASED SYSTEM, TA- NI- MO,  | 0398 |
|      | C- N- D, CR- NI- V, FE- H- X SYSTEMS (           | X = NB, TI OR V), AL- GE- MN, VF3, UN, PUN, VPUN,.  |      |
| 0398 | .V, U- PU- C- N- O, CR- NI- V, FE- H-            | X SYSTEMS (X = NB, TI OR V), AL- GE- MN, VF3, UN,.  | 0398 |
| 0398 | CA- O, FE- SI- O, ULTRACAL PROGRAMME,            | YBA2CU3OZ, MISCIBILITY GAPS IN THE II-VI ALLOY SEM  | 0398 |
| 0386 |  | ZR02- MGD,  | 0386 |

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.

